

seratone[®]



seratone[®]
AQUA

seratone[®]
AQUA PLUS™

Laminex[®]
NEW ZEALAND



Contents

Product Range Overview	02
Seratone® AQUA	06
Seratone® Jointer System	15
Seratone® AQUA PLUS™	18
Seratone® AQUA PLUS™ Paint System	24
Seratone® Installation	24
Seratone® Care & Maintenance	24
Seratone® Design Considerations	25
The Full Range	26
Availability Guide	28

Product Range Overview

Decorative Wet Wall Linings

Seratone® vertical solutions consist of a range of pre-finished panels and jointing options setting the tone for inspiring and creative designs for both commercial and residential interiors. This product is perfect for shower enclosures, bathrooms, new builds and renovations.

Providing wall and ceiling panel solutions for over 30 years, Seratone® decors are specifically designed to complement other contemporary materials such as timber, wood veneer, laminates, glass, granite, steel and paint as well as each other.

Seratone® is ideal for areas where hygiene is of particular importance, and where easy to clean or low maintenance surfaces are required.

Seratone® is a complete solution for walls, ceilings and splashbacks in wet and dry areas - which makes Seratone® the perfect choice designed for living.

Applications



Wet Area



Dry Area



Vertical Wall Linings



On Ceilings



Kitchen Splashback*

*Please refer to Technical Installation Manual for Splashback compliance. Download at laminex.co.nz

Seratone® AQUA Compact Panel

Seratone® AQUA is a Group 2-S fire resistant compact panel which will not rot - suitable for interior wet and dry applications such as bathroom and shower recess panelling, kitchen splashbacks and laundry walls.

Commercial applications include wall linings and ceiling linings. Whether you want to create a simple backdrop or spruce up a tired bathroom, Seratone® AQUA can create a stylish yet functional solution.



Seratone® AQUA PLUS™

Seratone® AQUA PLUS™ is a range of pre-finished panels designed for wet and dry areas. Panels are aesthetically pleasing and immensely practical. Applications include wall panelling, ceilings, feature walls, partitioning, kitchen splashbacks and laundry walls.

Designed with performance in mind, Seratone® AQUA PLUS™ is completely impervious, extremely durable, incredibly impact resistant and dimensionally stable. Panels will not rot, swell, or expand and contract, meaning they can be installed with complete confidence for long lasting performance in homes, hospitals, restaurants, research facilities and commercial spaces.

Seratone® AQUA PLUS™ is available in a range of contemporary colours and finishes with colour matched aluminium jointers.



Seratone® Jointer System

Seratone® Jointer profiles have been developed by Laminex New Zealand® to stylishly integrate joins and minimise areas where mould and grime could gather. Jointers are available anodized or colour matched.





Back Wall Seratone® AQUA PLUS™ Shell Gloss
Benchtop Caesarstone Frosty Carrina™
Cabinetry Melteca® Warm White



Seratone® AQUA

SERATONE® AQUA is range of water resistant surfaces that are safe in all areas directly exposed to steam or moisture.

The innovative, strong and durable 4.5mm thick sheets feature a black core allowing the distinctive black edge to be exposed in applications.

Whether you want to create a simple backdrop or spruce up a tired bathroom or laundry, Seratone® AQUA can create a stylish yet functional wall solution.

Because Seratone® AQUA is water resistant and grout free, it can be easily cleaned in both domestic and commercial environments. Seratone® AQUA is available in a selection of contemporary decors and finishes with colour matched aluminium jointers.





Back Wall Seratone® AQUA Polar White Gloss Square tile

Seratone® AQUA uses

- Wall and ceiling linings in commercial areas
- Bathroom, laundry, shower wall and ceiling linings
- Pre-finished decorative wall or ceiling linings
- Splashbacks
- Retail fitouts
- Sliding cupboard doors
- Flush door facings
- Cabinetry facings
- Furniture
- Feature panels
- Display areas
- For refurbishment work over existing linings
- Service and food processing areas in hotels, motels and fast food outlets
- Partitioning



Back Wall Seratone® AQUA Polar
White Gloss Herringbone tile

Features and benefits



Easy To Clean



Antimicrobial Panel



Impact Resistant




Group 2-S




15 Year Warranty

Seratone® AQUA will meet the durability requirements of the New Zealand Building Code (NZBC) B2/AS1 and has a serviceable life of 15 years in wet areas and 5 years in all other internal applications.



Polar White Gloss Herringbone Tile



4.5mm thick
2400 x 1200mm

The tile pattern
is approximately
300mm x 75mm

*Please refer to Design
considerations for tile
alignment details.

Note: All measurements are nominal.

Polar White Gloss Subway Tile





4.5mm thick
2400 x 1200mm

The tile pattern
is approximately
200mm x 75mm

*Please refer to Design
considerations for tile
alignment details.

Note: All measurements are nominal.





Black Gloss Subway Tile




4.5mm thick
2400 x 1200mm

The tile pattern
is approximately
200mm x 75mm

*Please refer to Design
considerations for tile
alignment details.

Note: All measurements are nominal.

Polar White Gloss Square Tile




4.5mm thick
2400 x 1200mm

The tile pattern
is approximately
100mm x 100mm

*Please refer to Design
considerations for tile
alignment details.

Note: All measurements are nominal.





Concrete Matte




4.5mm thick
2400 x 1200mm

Note: All measurements are nominal.


Polar White Gloss Ripple

4.5mm thick
2400 x 1200mm




Polar White Gloss

4.5mm thick
2400 x 1200mm
2700 x 1200mm



Polar White Matte

4.5mm thick
2400 x 1200mm



Note: All measurements are nominal.


Seratone® Jointer System




Seratone® End Cap
4.5mm



Seratone® H Jointer
4.5mm



Seratone® External Jointer
4.5mm



Seratone® Internal Corner
4.5mm

Note: All measurements are nominal.

Four aluminium jointer profiles have been developed by Laminex New Zealand® to stylishly integrate Seratone® panel joins and minimise areas where mould and grime could gather. Seratone® Jointers have been anodized or colour matched to complement each other giving you design combinations in any way you choose.

- Anodised and colour matched aluminium jointing options
- Mosaic or three dimensional effects (overlays and combinations with other finishes)
- Seratone® in aluminium frames for sliding doors, office partitioning and furniture



Wall Seratone® AQUA Polar White Gloss Herringbone Tile;
Benchtop Caesarstone® Raven™; Cabinetry Laminex® Timber Veneer Natural American Oak Crown Cut



Seratone® AQUA PLUS™

Seratone® AQUA PLUS™ is a range of pre-finished wall and ceiling panels manufactured on a high density mineral composite board.

Applications include wall panelling, ceilings, feature walls, partitioning, kitchen splashbacks and laundry walls.

Seratone® AQUA PLUS™ utilises a 175 micron multi-layered paint system which is fully cured using UV light. The paint contains no volatile organic compounds (VOC's) with the majority of the range available in a choice of gloss or matte finish.

Seratone® AQUA PLUS™ panels have a smooth glass like finish, providing a tough, durable, non-porous surface that resists marks, stains, steam and moisture.

Panels are easy to clean, impervious to moisture and will not support mould growth. This range can be used in dry, wet or hygiene area applications.

Seratone® AQUA PLUS™ is available in a range of contemporary colours and finishes with colour matched aluminium jointers.





Wet area wall lining Seratone® AQUA PLUS™ Mineral Gloss,
Flooring Laminam® 3+ Naturali Travertino Avorio

Seratone® AQUA PLUS™ uses

- Wall and ceiling linings where health regulations require the use of water and chemical resistant lining materials for cleaning and maintenance of surfaces
- Wall and ceiling linings in commercial, industrial and agricultural hygiene areas, and heavy wash down areas
- Bathroom, laundry, shower wall and ceiling linings
- Pre-finished decorative wall or ceiling linings
- Splashbacks
- Retail fitouts
- Sliding cupboard and wardrobe doors
- Flush door facings
- Cabinetry facings
- Furniture
- Feature panels
- Display areas
- For refurbishment work over existing linings
- Service and food processing areas in hotels, motels and fast food outlets
- Partitioning
- Signage



Back Wall Seratone® AQUA PLUS™ Shell Gloss

Features and benefits



Easy To Clean



Antimicrobial Panel



Impact Resistant



Easy To Cut




Group 3




15 Year Warranty


Seratone® AQUA PLUS™ will meet the durability requirements of the New Zealand Building Code (NZBC) B2/AS1 and has a serviceable life of 15 years in wet areas and 5 years in all other internal applications.




Polar Gloss




Polar Matte




Shell Gloss




Shell Matte




Canvas Gloss



Canvas Matte



Summit Gloss




Summit Matte



Meteor Gloss



Meteor Matte



Mineral Gloss

All decors 2700 x 1200 x 4.5mm

Summit Gloss & Summit Matte

2700 x 1200 x 4.5mm

2400 x 1200 x 4.5mm

Polar Gloss & Polar Matte

2700 x 1200 x 4.5mm

2400 x 1200 x 4.5mm

2400 x 900 x 4.5mm

Note: All measurements are nominal.



Splashback Seratone® AQUA PLUS™ Meteor Gloss
Benchtop Laminex Formica® Laminate Catalana Marble
Upper Cabinetry Melteca® Black
Lower Cabinetry Melteca® Raw Cotton



Seratone® AQUA PLUS™ Paint System

The 175 micron multi-layered paint system used to create Seratone® AQUA PLUS™, delivers the following benefits:

Antimicrobial protection

An antimicrobial silver additive in the UV clear coat protects all Seratone® AQUA PLUS™ panels against microbial activity. This makes Seratone® AQUA PLUS™ ideal for applications where hygiene is critical. The additive used in Seratone® AQUA PLUS™ panels gives them long term and effective antimicrobial properties, reducing the overall level of harmful bacteria in the environment and the likelihood of cross contamination.



UV Coating Technology

Seratone® AQUA PLUS™ panels are produced using UV coating technology with paint containing no Volatile Organic Compounds and fully cured using UV light. Panels possess a tough glass-like finish which is stain, steam and moisture resistant. The UV cured surface offers improved scratch and chemical resistance when compared to similar two-pack paint systems.

Installation & Maintenance

Technical Installation Manual

The latest Seratone® Technical Installation Manual outlines the correct installation instructions for consumers or a qualified tradesperson to follow.

Always ensure all detailed instructions are followed. Any variation from these instructions may create unexpected performance problems and will void the limited warranty.

Download Technical Installation Manual at laminex.co.nz

Seratone® Care & Maintenance

Recommended Cleaning Products; Jif Power + Shine Bathroom, Sunlight liquid®, Ajax spray 'n' wipe® – multi purpose, kitchen antibacterial, bathroom antibacterial, Handy Andy®, Shower Witch®, bleach.

Adhere to cleaner manufacturer's instructions.

Do not use scouring pads, abrasive cloths or cream cleaners as these may damage the surface. A soft cloth is recommended.

The removal of dust from the surface can be easily achieved by the use of an electrostatic dusting cloth (e.g. SC Johnson's Pledge® Grab-it)

Seratone® Design Considerations


When planning and designing your project, you should consider the following important points:

Decor Selection

Dark, high gloss colours are more likely to highlight finger marking and wear and tear, therefore careful consideration should be taken when selecting these colours for harshly lit or high use areas. Lighter colours are more tolerant of harsh lighting environments.

Seratone Jointers

The Seratone® range of aluminium jointers has been specifically designed for use with Seratone® in both wet and dry area applications. Seratone® AQUA PLUS™ can be easily cut and shaped for use in sliding and conventional opening aluminium door systems.



Back Wall Seratone® AQUA Polar White Gloss Square Tile

Silicone Joins

The silicone jointing system is designed for use in all areas. Silicone joins are suitable for installation on fully lined walls / ceilings (e.g. plasterboard) or direct to timber framing. Silicone joins are recommended for hygiene areas.

Frameless Panels

You can create the thickness you require for standard concealed hinges or where a thicker or double-sided panel is required. In dry areas, Seratone® can be laminated to panel products such as MDF, using recommended adhesives. Edges can be finished using contrasting edge-banding, timber clashing or the edges can be painted.

Tile Alignment

To ensure perfect tile pattern alignment for Seratone® AQUA Herringbone, Subway and Square Tiles, cutting of sheets will be required when continuous runs of sheets are installed. It is recommended this is allowed for when planning the installation of the sheets. Cutting for continuous pattern can be achieved, refer to the Seratone® Technical Installation Manual for the cutting and wastage factor details.


Colour or Batch Matching

Always check for a colour match when sheets are on the same wall plane or when colour/shade matching is critical. For areas where colour matched sheets are desired, order as "batch matched" to minimise any potential colour variation.

The Full Range

Seratone® AQUA

Seratone® AQUA is a compact panel suitable for interior wet and dry applications, ideal for bathroom and shower recess panelling, kitchen splashbacks and laundry walls.




Polar White Gloss
Herringbone Tile / AQUA



Polar White Gloss
Subway Tile / AQUA



Black Gloss
Subway Tile / AQUA




Polar White Gloss
Square Tile / AQUA




Concrete Matte / AQUA



Polar White Gloss
Ripple / AQUA



Polar White Gloss / AQUA




Polar White Matte / AQUA


IMPORTANT: Due to the printing process, colours may vary slightly from the actual product. When choosing a decor it is always advised to view an actual swatch for final selection.

Seratone® AQUA PLUS™


Seratone® AQUA PLUS™ is a pre-finished wall panel, manufactured on mineral composite board. Applications include; wet and dry wall panelling, feature walls, kitchen splashbacks and laundry walls.




Polar Gloss / AQUA PLUS™




Polar Matte / AQUA PLUS™




Shell Gloss / AQUA PLUS™



Shell Matte / AQUA PLUS™



Canvas Gloss / AQUA PLUS™




Canvas Matte / AQUA PLUS™



Summit Gloss / AQUA PLUS™



Summit Matte / AQUA PLUS™



Mineral Gloss / AQUA PLUS™



Meteor Gloss / AQUA PLUS™



Meteor Matte / AQUA PLUS™












IMPORTANT: Due to the printing process, colours may vary slightly from the actual product. When choosing a decor it is always advised to view an actual swatch for final selection.

Availability Guide

Seratone® AQUA

	Thickness	2400 x 900			2400 x 1200			2700 x 1200			         				
		2400 x 900	2400 x 1200	2700 x 1200	Wet Area	Dry Area	Vertical Wall Linings	On Ceilings	Kitchen Splashback*	Easy To Clean	Antimicrobial Panel	Impact Resistant	Group 2-5	15 Year Warranty	
Polar White Gloss Herringbone Tile	4.5mm		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Polar White Gloss Subway Tile	4.5mm		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Black Gloss Subway Tile	4.5mm		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Polar White Gloss Square Tile	4.5mm		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Concrete Matte	4.5mm		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Polar White Gloss Ripple	4.5mm		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Polar White Gloss	4.5mm		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Polar White Matte	4.5mm		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Seratone® AQUA PLUS™

	Thickness	2400 x 900			2400 x 1200			2700 x 1200			          				
		2400 x 900	2400 x 1200	2700 x 1200	Wet Area	Dry Area	Vertical Wall Linings	On Ceilings	Kitchen Splashback*	Easy To Clean	Antimicrobial Panel	Impact Resistant	Easy To Cut	Group 3	15 Year Warranty
Polar Gloss	4.5mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Polar Matte	4.5mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Shell Gloss	4.5mm			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Shell Matte	4.5mm			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Canvas Gloss	4.5mm			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Canvas Matte	4.5mm			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Summit Gloss	4.5mm		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Summit Matte	4.5mm		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Mineral Gloss	4.5mm			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Meteor Gloss	4.5mm			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Meteor Matte	4.5mm			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

*Please refer to Technical Installation Manual for Splashback compliance. Download at laminex.co.nz

Note: All measurements are nominal.



Wall Seratone® AQUA Black Gloss Subway Tile
Back Wall Seratone® AQUA Matte Concrete



Back Wall – Seratone® AQUA Polar White Gloss Herringbone Tile;
Top Back Wall – Strandboard® Stained Black; Kitchen Wall – Seratone® AQUA Concrete Matte;



VISIT US

laminex.co.nz

CALL US

0800 303 606

SAMPLES

laminex.co.nz
or **0800 999 939**

FOLLOW US



[@laminexnz](https://www.instagram.com/laminexnz)



[@nzlaminex](https://www.facebook.com/nzlaminex)

The colours of the photographs and swatches depicted in this brochure are as close to the Seratone® range as modern photographic, lighting and printing processes allow. We always recommend making final colour selections from an actual sample. The colours shown are available at the time of publication, but are subject to availability and may be withdrawn at any time. J011436 08.24

© Copyright 2024, Seratone®, Seratone® AQUA and Seratone® AQUA PLUS™ are trademarks of Fletcher Building Holdings and used under licence by Laminex New Zealand®, a division of Fletcher Building Products Ltd.

seratone®

Laminex®
NEW ZEALAND